

OTICLEAN

Earwax removal aid.

COMPOSITION:

Each 1 ml of the OTICLEAN otic drops contains 65 mg of carbamide peroxide.

ACTIONS:

Oticlean, used as directed, cleanses the ear with sustained microfoam. Oticlean Drops foam on contact with earwax due to the release of oxygen (there may be an associated crackling sound). Oticlean Drops provide a safe, nonirritating method of softening and removing ear wax.




USES:

For occasional use as an aid to soften, loosen, and remove excessive earwax.

DIRECTIONS:

Adults and children over 12 years of age: tilt head sideways and place 5 to 10 drops into ear. Tip of applicator should not enter ear canal. Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear. Use twice daily for up to four days if needed, or as directed by a doctor.

Children under 12 years of age: Consult a doctor.



WARNINGS:

- FOR USE IN THE EAR ONLY.
- Do not use if you have ear drainage or discharge, ear pain, irritation or rash in the ear, or are dizzy; consult a doctor.
- Do not use if you have an injury or perforation (hole) of the eardrum or after ear surgery unless directed by a doctor.
- Do not use for more than four days.
- If excessive earwax remains after use of this product, consult a doctor.
- Avoid contact with the eyes.
- In case of accidental ingestion, seek professional assistance.

OTHER INFORMATION:

- Store at room temperature.
- Avoid exposing bottle to excessive heat and direct sunlight.
- Keep bottle closed when not in use.
- Keep out of the reach of children.

HOW SUPPLIED:

15-mL dropper bottle.

Rev. No. 71810

| THIS IS A MEDICAMENT |
|---|
| <ul style="list-style-type: none">- The medicament is a product which affects your health, and its consumption contrary to instruction is dangerous for you.- Follow strictly the doctor's prescription, the method of use and the instructions of the pharmacist who sold the medicament. The doctor and the pharmacist are experts in medicine, its benefits and risks.- Do not by yourself interrupt the period of treatment prescribed for you.- Do not repeat the same prescription without consulting your doctor. |
| KEEP THE MEDICAMENT OUT OF THE REACH OF CHILDREN |

Council of Arab Health Ministers

Arab Pharmacists Association

DIAMOND PHARMA – Damascus suburb – Syria

أوتيكلين

دواء مساعد على إزالة صملاخ الأذن.

التركيب:

يحتوي كل ١ مل من قطرة الأوتيكلين الأذنية على ٦٥ ملغ من الكارباميد بيروكساييد.

تأثيرات المستحضر:

عندما يُستَخدم الأوتيكلين تبعاً للتعليمات، فإنه ينظف الأذن عن طريق رغوة ناعمة ثابتة لفترة طويلة. تتشكل الرغوة لدى ملامسة نقط الأوتيكلين لصملاخ الأذن بسبب تحرر الأوكسجين (قد يترافق ذلك مع صوت قرعقة). يؤمن الأوتيكلين طريقة آمنة وغير مخرشة لتليين وإزالة صملاخ الأذن.

الاستعمال:

يُستَعمل عند الضرورة للمساعدة على تليين، تفكيك، وإزالة الصملاخ الزائد.

طريقة الاستعمال:

للبالغين والأطفال بعمر ١٢ سنة أو أكبر: تُقطر ٥ - ١٠ قطرات في أذن المريض ورأسه مائل إلى الجانب المعاكس للأذن المصابة. يجب ألا تدخل قمة القطارة داخل قناة الأذن. اترك الدواء داخل الأذن لمدة دقائق وذلك بإبقاء الرأس مائلاً أو بوضع قطن في الأذن. استخدم الدواء مرتين يومياً لمدة تصل حتى ٤ أيام إذا لزم الأمر، أو حسب إرشادات الطبيب.

للأطفال أصغر من ١٢ سنة: يجب استشارة الطبيب.

التحذيرات:

- يُستَخدم هذا الدواء في الأذن فقط.
- لا تستخدم الدواء إذا كنت تعاني من سيلان أو إفرازات من الأذن، ألم في الأذن، أو تخريش أو طفح في الأذن، أو كنت تشعر بدوار، واستشر الطبيب.
- لا تستخدم الدواء إذا كنت تعاني من أذية أو ثقب في طبلة الأذن أو بعد عمل جراحي على الأذن، إلا إذا وصفه لك الطبيب.
- لا تستخدم الدواء لأكثر من ٤ أيام.
- استشر الطبيب في حال بقاء الكثير من الصملاخ بعد استخدام هذا الدواء.
- تجنب ملامسة الدواء للعين.
- إذا تم تناول المستحضر فموياً عن طريق الخطأ، يجب طلب المساعدة الطبية.

معلومات أخرى:

- يحفظ في درجة حرارة الغرفة.
- تجنب تعريض العبوة للحرارة الزائدة أو لأشعة الشمس المباشرة.
- أبقِ العبوة مغلقة عند عدم استعمالها.
- يحفظ بعيداً عن متناول الأطفال.

التعبئة وشكل العبوة:

عبوة ذات قطارة تحوي ١٥ مل.

إن هذا الدواء

- الدواء مستحضر يؤثر على صحتك، واستهلاكه خلافاً للتعليمات يعرضك للخطر.
- اتبع بدقة وصفة الطبيب وطريقة الاستعمال المنصوص عليها، وتعليمات الصيدلاني الذي صرفها لك، فالطبيب والصيدلاني هما الخبيران بالدواء ونفعه وضره.
- لا تقطع مدة العلاج المحددة من تلقاء نفسك.
- لا تكرر صرف الدواء بدون وصفة طبية.

لا تترك الأدوية في متناول أيدي الأطفال

اتحاد الصيدالة العرب

مجلس وزراء الصحة العرب

شركة دياموند فارما - ريف دمشق - سوريا